



DARMANI GRAIN STORAGE

(LIFETIME STEEL BIN FLOORS)



**MADE IN TWO PIECES
FOR EASY HAULING**



SMALL 14' FLOORS CAN BE
MADE IN ONE PEICE



STEEL BIN FLOORS

ENGINEERED DESIGN

18-36` IN DIAMETER

ALL WELDED CONSTRUCTION

PAINTED

COMES WITH ALL NECESSARY HARDWARE

20 YEAR LIMITED WARRANTY

OPTIONS AVAILABLE

TIE DOWN ANCHORS

PIT CLEANOUT

BINSWEEPS

UNLOAD SYSTEMS

AERATION

NO WELDING REQUIRED

*"The Steel floor is the only way to go as
hoppers are too expensive and resale is a
really big deal for me"*

DARMANI GRAIN STORAGE 1-866-665-6677

www.darmani.ca

SERVING WESTERN CANADA AND NORTHERN U.S.

DARMANI GRAIN STORAGE

(STEEL BIN FLOOR SPECIFICATIONS)

Diameter	14	16	18	19	21	24	27	30	36`
Maximum bin size	6415	8910	13200	17056	6415	8910	13200	21150	31000
Maximum # of tiers			8	8	8	8	9	9	9
Made in one piece	Available	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Made in sections	YES	YES	YES	YES	YES	YES	YES	YES	YES
Heavy Duty Steel	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Designed for long life	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
4" Outside mount Ring	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
GUARANTEE FIT	YES	YES	YES	YES	YES	YES	YES	YES	YES
Welding required	NO	NO	NO	NO	NO	NO	NO	NO	NO
Hardware included	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
RE-INFORCED OUTSIDE Sidewall	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	STD.
Anchor mount hole Brackets	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Overall shipping weight	1110	1250	1648	1728	2418	2644	3166	4200	6700
Limited warranty	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.

Floors made to fit most brands in above diameters including Westeel/Twister/Butler/Brock/G.S.I. /metal Industries

AVAILABLE OPTIONS

Wind tie down anchors	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Heavy Duty adjustable anchors	Yes	yes	Yes	Yes	Yes	yes	Yes	Yes	Yes
Pit cleanout	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Bin sheets to add storage (44" curved to diameter)	Yes	yes	Yes	Yes	Yes	yes	Yes	Yes	Yes
Aeration systems	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Binsweep/Unload	Yes	yes	Yes	Yes	Yes	yes	Yes	Yes	Yes



See Foundation Comparison Guide

Steel floors vs. Concrete



FLAT BOTTOM BIN FOUNDATION COMPARISONS

DARMANI'S Steel floor has many advantages

All flat bottom bins, whether it be on Steel floor or concrete will require a good sub base

DARMANI offers **STEEL FLOORS** and Bin angle iron rings for Cement pads



FOUNDATION COMPARISON CHART

STEEL FLOOR	VERSUS	CONCRETE PAD
YES	MOVEABLE	NO
YES	RESALABLE	NO
YES	INSURABLE	YES-if anchored
0 DAYS	CURE TIME	28 days
NONE	CRACKING	Cement can crack
Easy with hardware provided	SEALING	Hard- usually need to re-seal spray
YES	AFFORDABLE	Easier with seal form
SAND/GRAVEL/CLAY MIXTURE	SUB FOUNDATION REQUIRED	EXPENSIVE
		SAND/GRAVEL/CLAY MIXTURE

To compare complete costs on Steel floor vs. Cement

– Refer to Steel floor specials and Concrete requirements guide